

SYRAFAST

**PRESS
MÅTT
HYDRAULSLANG**

AMAB

Hydraul

Uppdaterad 2017-05-15

Syrafasta slangkopplingar

Innehåll

Sida	1	Kopplingar för flätad slang 4400, 4820, 4800, 4880, 3400, 4810, 3800, 4870
	3	Golden ISO, spiral 2435, 2442
	4	Rockmaster, spiral 6450
	5	Textilarmerad slang, Teflonslang 07200212, 04600011

4400 – 4820

EN 853-2SN, ROCKMASTER® /2SN

DN	5	6	8	10	12	16	19	25	31	38	51	60	63	76
storlek	03	04	05	06	08	10	12	16	20	24	32	38	40	48
tum	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"	2 3/8"	2 1/2"	3"
Hylsa 8410		8410-04	8410-05	8410-06	8410-08	8410-10	8410-12	8410-16	8410-20	8410-24	8410-32			
		18,8	20,7	22,8	26,2	29,3	33,5	41,6	52,4	57,0	71,0			
		25	25	25	27	28	33,5	38	55	56	66			
Hylsa skalfri 8610	8610-03	8610-04	8610-05	8610-06	8610-08	8610-10	8610-12	8610-16						
	16,8	18,5	20,5	22,3	26,2	28,5	33,5	40,5						

 Pressmått
MF 2000

 Hylsa
Det.nr

 Utvändig skallängd
(mm)

4800 – 4880

EN 857-2SC, ROCKMASTER® /2SC

DN	5	6	8	10	12	16	19	25	31	38	51	63	76
storlek	03	04	05	06	08	10	12	16	20	24	32	40	48
tum	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
Hylsa 8310		8310-04	8310-05	8310-06	8310-08	8310-10	8310-12	8310-16					
		16,4	18,3	21,4	23,6	27,0	31,0	39,3					
		25	25	25,5	28,5	30	35	39					
Hylsa skalfri 8310, 8510		8310-04	8310-05	8310-06	8310-08	8310-10	8310-12	8310-16	8510-20	8510-24	8510-32		
	16,8	18,5	21,7	24,5	27,8	31,7	39,8	48,7	56,2	69,0			

 Pressmått
MF 2000

 Hylsa
Det.nr

 Utvändig skallängd
(mm)

3400 – 4810

EN 853-1SN, SAE 100R1AT, ROCKMASTER®/1SN

DN	5	6	8	10	12	16	19	25	31	38	51	60	63	76
storlek	03	04	05	06	08	10	12	16	20	24	32	40	40	48
tum	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"	2 3/8"	2 1/2"	3"
Hylsa 8310		8310-04	8310-05	8310-06	8310-08	8310-10	8310-12	8310-16	8310-20	8310-24	8310-32			
		16,4	18,3	21,3	23,6	27,0	31,0	39,0	49,0	53,3	68,2			
		25	25	25	28,5	30	35	39	55,5	55,5	66			
Hylsa skalfri 8310		8310-04	8310-05	8310-06	8310-08	8310-10	8310-12	8310-16	8310-20	8310-24	8310-32			
		16,7	19,0	21,8	24,5	28,0	31,7	40,0	49,7	54,5	70,5			

 **Pressmått
MF 2000**

 **Hylsa
Det.nr**

 **Utvändig skallängd
(mm)**

3800 – 4870

EN 857-1SC, ISO 11237-1SC, ROCKMASTER®/1SC

DN	5	6	8	10	12	16	19	25	31	38	51	63	76
storlek	03	04	05	06	08	10	12	16	20	24	32	40	48
tum	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
Hylsa skalfri 8315		8315-04	8315-05	8315-06	8315-08	8315-10	8315-12	8315-16					
		15,0	16,3	18,6	22,7	27,4	31,0	38,2					

 **Pressmått
MF 2000**

 **Hylsa
Det.nr**

2435

GOLDEN ISO®/35 XTRAFLEX

DN	5	6	8	10	12	16	19	25	31	38	51
storlek	03	04	05	06	08	10	12	16	20	24	32
tum	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"
Hylsa interlock 8810								8810-16			
								42,3			
								60			
								20			
Hylsa 8410							8410-12	8410-16			
							33,8	42,0			
							33,5	38			

 Pressmått MF 2000

 Pressmått Interlock Plus

 Hylsa Det.nr

 Invändig skallängd (mm)

 Utvändig skallängd (mm)

2442

GOLDENISO®/42 XTRAFLEX

DN	5	6	8	10	12	16	19	25	31	38	51
storlek	03	04	05	06	08	10	12	16	20	24	32
tum	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"
Hylsa 6910 2410							8810-12	8810-16			
							34,3	42,3			
							42	60			
							16	20			

 Invändig skallängd (mm)

 Hylsa Det.nr

 Utvändig skallängd (mm)

 Pressmått Interlock Plus

6450

EN 856-4SP, ROCKMASTER® /4SP

DN	5	6	8	10	12	16	19	25	31	38	51
storlek	03	04	05	06	08	10	12	16	20	24	32
tum	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"
Hylsa 8410, 8411		8411-04		8410-06	8410-08	8410-10	8410-12	8410-16	8410-20	8410-24	8411-32
		19,5		23,2	26,5	29,5	34,0	42,0	52,6	58,0	71,0
		25		25	27	28	33,5	38	55	56	66

 **Pressmått
MF 2000**

 **Hylsa
Det.nr**

 **Utvändig skallängd
(mm)**

07200212

EN 854-2TE

DN	5	6	8	10	12	16	19	25	31	38	51
storlek	03	04	05	06	08	10	12	16	20	24	32
tum	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"
Hylsa skalfri 8310		8310-04	8310-05	8310-06	8310-08	8310-10	8310-12	8310-16			
		17,2	18,7	21,8	24,5	28,5	31,5	39,0			

 Pressmått
MF 2000

 Hylsa
Det.nr

04600011

TEFLONSLANG

DN	3	5	6	8	10	12	16	19	25	31	38	51	60	63
storlek	02	03	04	05	06	08	10	12	16	20	24	32	38	40
tum	1/8"	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"	2 3/8"	2 1/2"
Hylsa 810	810-02	810-03	810-04	810-05	810-06	810-08	810-10	810-12	810-16					
	8,2	11,5	12,0	14,4	15,9	20,4	24,0	27,0	33,0					

 Pressmått
MF 2000

 Hylsa
Det.nr



AMAB

Hydraul

www.amabhydraul.se

Bronsgjutaregatan 2, 238 41 OXIE/Malmö
Tel: 040-615 50 00 Fax: 040-615 50 49

Borlänge: Cirkelgatan 16, 781 72 Borlänge
Trollhättan: Batterivägen 1, 461 38 Trollhättan
Umeå: Strömvägen 1, 901 32 Umeå

Tel: 0243-820 55 Fax: 0243-22 70 82
Tel: 0520-42 61 00 Fax: 0520-327 99
Tel: 090-13 02 80 Fax: 090-12 87 90