





BSP Adapter

030136 Liksidig adapter utvändig Rörgänga



Art. Nr.	Gänga		Dimension mm			Arb. Tryck MPa
	F	F	CH	L3	T	
0301360202	1/8"-28	1/8"-28	14	24,6	8,8	35
0301360404	1/4"-19	1/4"-19	19	32	11	35
0301360606	3/8"-19	3/8"-19	22	34	12	35
0301360808	1/2"-14	1/2"-14	27	39	14	31,5
0301361010	5/8"-14	5/8"-14	30	43	16	31,5
0301361212	3/4"-14	3/4"-14	32	45	16	25
0301361616	1"-11	1"-11	41	52	19	20
0301362020	1.1/4"-11	1.1/4"-11	50	57	20	16
0301362424	1.1/2"-11	1.1/2"-11	55	61	22	12,5
0301363232	2"-11	2"-11	70	70	25	8


030134 Liksidig adapter utvändig Rörgänga, ed-tätning



Art. Nr.	Gänga		Dimension mm				Arb. Tryck MPa
	G	G1	CH	L	B	D	
0301340202	1/8"-28	1/8"-28	14	23,5	8	8	35
0301340404	1/4"-19	1/4"-19	19	32,5	11	12	35
0301340606	3/8"-19	3/8"-19	22	34	12	12	35
0301340808	1/2"-14	1/2"-14	27	40	14	14	31,5
0301341212	3/4"-14	3/4"-14	32	46	16	16	25
0301341616	1"-11	1"-11	41	51,5	19	18	20


Andra dimensioner på förfrågan.

030135 Oliksidig adapter utvändig Rörgänga




Art. Nr.	Gänga		Dimension mm				Arb. Tryck MPa
	F2	F1	CH3	L3	T1	T2	
0301350204	1/8"-28	1/4"-19	19	30,5	11	10	35
0301350206	1/8"-28	3/8"-19	22	30	12	10	35
0301350208	1/8"-28	1/2"-14	27	33	14	10	31,5
0301350406	1/4"-19	3/8"-19	22	33	12	11	35
0301350408	1/4"-19	1/2"-14	27	35,5	14	11	31,5
0301350412	1/4"-19	3/4"-14	32	39	16	11	25
0301350416	1/4"-19	1"-11	41	41,2	19	9	20
0301350608	3/8"-19	1/2"-14	27	37	14	12	31,5
0301350610	3/8"-19	5/8"-14	27	39	15	12	31,5
0301350612	3/8"-19	3/4"-14	32	40	16	12	25
0301350616	3/8"-19	1"-11	41	44	19	13	20
0301350810	1/2"-14	3/4"-14	27	40,5	15	14	31,5
0301350812	1/2"-14	3/4"-14	32	42,5	16	14	25
0301350816	1/2"-14	1"-11	41	46,5	19	14	20
0301350820	1/2"-14	1.1/4"-11	50	50	20	14	16
0301351012	5/8"-14	3/4"-14	32	43	16	15	25
0301351016	5/8"-14	1"-11	41	46,5	19	15	20
0301351216	3/4"-14	1"-11	41	49	19	16	20
0301351220	3/4"-14	1.1/4"-11	50	55	20	17	16
0301351224	3/4"-14	1.1/2"-11	50	55	22	16	12,5
0301351620	1"-11	1.1/4"-11	50	57	20	19	16
0301351624	1"-11	1.1/2"-11	55	59	22	19	12,5
0301351632	1"-11	2"-11	70	61,5	23	19,5	8
0301352024	1.1/4"-11	1.1/2"-11	55	60	22	20	12,5
0301352032	1.1/4"-11	2"-11	70	64	22	20	8
0301352432	1.1/2"-11	2"-11	70	67	22	22	8
0301353240	2"-11	2.1/2"-11	85	65	30	23	

030139 Strypadapter utvändig Rörgänga



Art. Nr.	Gänga		Dimension mm		Arb. Tryck MPa	Hål mm
	G	G1	CH	L		
0301390002	1/4"-19	1/4"-19	19	30	35	1,0
0301390003	1/4"-19	1/4"-19	19	30	35	1,5
0301390005	3/8"-19	3/8"-19	22	32	35	1,0
0301390006	3/8"-19	3/8"-19	22	32	35	2,5
0301390009	1/4"-19	3/8"-19	22	31	35	1,5
0301390010	1/4"-19	1/4"-19	19	30	35	2,5
0301390011	3/8"-19	1/2"-14	27	37	31,5	2,0
0301390012	3/8"-19	3/8"-19	22	32	35	0,8
0301390013	3/8"-19	3/8"-19	22	32	35	1,2
0301390014	1/4"-19	1/4"-19	19	30	35	0,7
0301390016	1/2"-14	1/2"-14	27	39	31,5	1,0
0301396801	3/8"-19	1/2"-14	27	37	31,5	1,0
0301390202	1/8"-28	1/8"-28	14	24,6	35	oborrad
0301390404	1/4"-19	1/4"-19	19	30	35	oborrad
0301390406	1/4"-19	3/8"-19	22	31	35	oborrad
0301390408	1/4"-19	1/2"-14	27	35,5	31,5	oborrad
0301390606	3/8"-19	3/8"-19	22	32	35	oborrad
0301390608	3/8"-19	1/2"-14	27	37	31,5	oborrad
0301390808	1/2"-14	1/2"-14	27	39	31,5	oborrad


030143 Adapter utvändig metrisk, 60° kona



Art. Nr.	Gänga		Dimension mm		Arb. Tryck MPa	
	G	G1	CH	L		
0301431010	M10x1,0	M10x1,0	14	25	35	
0301431212	M12x1,5	M12x1,5	17	28	35	
0301431414	M14x1,5	M14x1,5	19	29	35	
0301431616	M16x1,5	M16x1,5	22	33	35	
0301431818	M18x1,5	M18x1,5	24	36	35	
0301432222	M22x1,5	M22x1,5	27	38	31,5	


Andra dimensioner på förfrågan

030147 Adapter utv. M-gänga/utv. R-gänga, 60° kona



Art. Nr.	Gänga		Dimension mm		Arb. Tryck MPa	
	G	G1	CH	L		
0301471002	M10x1,0	G 1/8"-28	14	25	35	
0301471004	M10x1,0	G 1/4"-19	19	27	35	
0301471204	M12x1,5	G 1/4"-19	19	29	35	
0301471206	M12x1,5	G 3/8"-19	22	31	35	
0301471404	M14x1,5	G 1/4"-19	19	29	35	
0301471406	M14x1,5	G 3/8"-19	22	31	35	
0301471604	M16x1,5	G 1/4"-19	22	31	35	
0301471606	M16x1,5	G 3/8"-19	22	33	35	
0301471608	M16x1,5	G 1/2"-14	27	36	31,5	
0301471804	M18x1,5	G 1/4"-19	24	33	35	
0301471806	M18x1,5	G 3/8"-19	24	35	31,5	
0301471808	M18x1,5	G 1/2"-14	27	37	31,5	
0301471812	M18x1,5	G 3/4"-14	32	40	25	
0301472008	M20x1,5	G 1/2"-14	27	38	31,5	
0301472206	M22x1,5	G 3/8"-19	27	36	31,5	
0301472208	M22x1,5	G 1/2"-14	27	38	31,5	
0301472212	M22x1,5	G 3/4"-14	32	41	25	
0301472612	M26x1,5	G 3/4"-14	32	43	25	
0301473012	M30x1,5	G 3/4"-14	38	45	20	
0301473016	M30x1,5	G 1"-11	38	47	20	

031320 Adapter utv. Rörgänga/utv. KR-gänga




Art. Nr.	Gänga		Dimension mm				Arb. Tryck MPa
	F	F3	Ch7	L9	H10	T	
0313200202	G 1/8"-28	G 1/8"-28	14	27	11,5	9,5	35
0313200404	G 1/4"-19	G 1/4"-19	19	31	13	11	35
0313200606	G 3/8"-19	G 3/8"-19	22	35	15	13	35
0313200808	G 1/2"-14	G 1/2"-14	27	40	17	15	31,5
0313201212	G 3/4"-14	G 3/4"-14	32	45	19	17	25
0313201616	G 1"-11	G 1"-11	41	51	21,5	19	20
0313202020	G1.1/4"-11	G1.1/4"-11	50	56	24	21	16
0313202424	G1.1/2"-11	G1.1/2"-11	55	59	25	22	12,5
0313203232	G 2"-11	G 2"-11	70	61	25	23	8

Hoppdimensioner på förfrågan

031260 Skottgenomgång Rörgänga


031270 Kontramutter för skottgenomgång



Art. Nr.	Gänga		Dimension mm				Kontramutter
	F	F1	Ch4	L4	P	T	
0312600202	G 1/8"-28	G 1/8"-28	14	38	25	8	0312700200
0312600404	G 1/4"-19	G 1/4"-19	19	47	29	11	0312700400
0312600606	G 3/8"-19	G 3/8"-19	22	52	31	13	0312700600
0312600808	G 1/2"-14	G 1/2"-14	27	60	34	16	0312700800
0312601212	G 3/4"-14	G 3/4"-14	32	66	37	17	0312701200
0312601616	G 1"-11	G 1"-11	41	74	41	19	0312701600
0312602020	G1.1/4"-11	G1.1/4"-11	50	81	45	20	0312702000
0312602424	G1.1/2"-11	G1.1/2"-11	55	88	49	22	0312702400
0312603232	G 2"-11	G 2"-11	70	95	54	24,0	0312703200


Andra utförande på förfrågan.

066011 Adapter utvändig JIC-gänga/utvändig Rörgänga




Art. Nr.	Gänga JIC	Gänga BSPP	Dimension mm			
			A	B	D	NV
0660110402	7/16"-20	1/8"	30	14	10	14
0660110404	7/16"-20	1/4"	33	14	11	19
0660110406	7/16"-20	3/8"	34,5	14	12	22
0660110504	1/2"-20	1/4"	33	14	11	19
0660110506	1/2"-20	3/8"	36	14	12	22
0660110604	9/16"-18	1/4"	33	14	11	19
0660110606	9/16"-18	3/8"	34,5	14	12	22
0660110608	9/16"-18	1/2"	37,5	14	14	27
0660110804	3/4"-16	1/4"	37	17	11	19
0660110806	3/4"-16	3/8"	37,5	17	12	22
0660110808	3/4"-16	1/2"	40,5	17	14	27
0660110812	3/4"-16	3/4"	43,5	17	16	32
0660111006	7/8"-14	3/8"	42,5	19,5	12	30
0660111008	7/8"-14	1/2"	43	19,5	14	27
0660111012	7/8"-14	3/4"	46	19,5	16	32
0660111208	1.1/16"-12	1/2"	50	22	14	27
0660111212	1.1/16"-12	3/4"	48,5	22	16	32
0660111216	1.1/16"-12	1"	42,5	22	19	41
0660111612	1.5/16"-12	3/4"	53	23	16	38
0660111616	1.5/16"-12	1"	53,5	23	19	41
0660112016	1.5/8"-12	1"	58,5	24,5	19	45
0660112020	1.5/8"-12	1.1/4"	58,5	24,5	20	50
0660112424	1.7/8"-12	1.1/2"	64	27,5	22	55
0660113224	2.1/2"-12	1.1/2"	75	34	22	55
0660113232	2.1/2"-12	2"	79	34	25	65

032703 Adapter utvändig SAE-gänga med o-ring/utvändig Rörgänga




Art. Nr.	Gänga		Dimension mm			
	G	G1	CH	L	H3	T
0327030402	7/16"-20	G 1/8"-28	14	25	9	8
0327030404	7/16"-20	G 1/4"-19	19	28	9	11
0327030406	7/16"-20	G 3/8"-19	22	30	10	11
0327030604	9/16"-18	G 1/4"-19	19	30	10	11
0327030606	9/16"-18	G 3/8"-19	22	32	10	12
0327030806	3/4"-16	G 3/8"-19	22	33	11	14
0327030808	3/4"-16	G 1/2"-14	27	36	11	14
0327031008	7/8"-14	G 1/2"-14	27	37,5	12,5	14
0327031208	1.1/16"-12	G 1/2"-14	32	42	15	14
0327031212	1.1/16"-12	G 3/4"-14	32	44	15	16
0327031612	1.5/16"-12	G 3/4"-14	38	45	15	16
0327031616	1.5/16"-12	G 1"-11	41	48	15	19

70101 Adapter utv. M-gänga 24° kona/utv. Rörgänga 60° kona, serie L



Art.nr.	Beteckning	Rör D1	Tryckklass	Gänga		Dimension mm		Åtdrag
Kropp	Kropp	mm	L	G1	G	L	S1	Nm
7010106169	XGE-6LR/A	6	50 MPa	G 1/8"	M12x1,5	23,5	14	20
7019106169	XGE-6LR1/4A	6	50 MPa	G 1/4"	M12x1,5	29	19	50
7018106169	XGE-6LR3/8A	6	50 MPa	G 3/8"	M12x1,5	30,5	22	80
7018108169	XGE-8LR1/8A	8	50 MPa	G 1/8"	M14x1,5	24,5	14	20
7010108169	XGE-8LR/A	8	50 MPa	G 1/4"	M14x1,5	29	19	50
7019108169	XGE-8LR3/8A	8	50 MPa	G 3/8"	M14x1,5	30,5	22	80
7017108169	XGE-8LR1/2A	8	50 MPa	G 1/2"	M14x1,5	33	27	110
7010110169	XGE-10LR/A	10	50 MPa	G 1/4"	M16x1,5	30	19	80
7019110169	XGE-10LR3/8A	10	50 MPa	G 3/8"	M16x1,5	31,5	22	80
7017110169	XGE-10LR1/2A	10	50 MPa	G 1/2"	M16x1,5	34	27	140
7018112169	XGE-12LR1/4A	12	40 MPa	G 1/4"	M18x1,5	31	19	50
7010112169	XGE-12LR/A	12	40 MPa	G 3/8"	M18x1,5	31,5	22	80
7019112169	XGE-12LR1/2A	12	40 MPa	G 1/2"	M18x1,5	34	27	140
7017112169	XGE-12LR3/4A	12	40 MPa	G 3/4"	M18x1,5	37	32	190
7019115169	XGE-15LR3/8A	15	40 MPa	G 3/8"	M22x1,5	32,5	24	80
7010115169	XGE-15LR/A	15	40 MPa	G 1/2"	M22x1,5	35	27	140
7017115169	XGE-15LR3/4A	15	40 MPa	G 3/4"	M22x1,5	38	32	190
7018118169	XGE-18LR3/8A	18	40 MPa	G 3/8"	M26x1,5	33,5	27	80
7010118169	XGE-18LR/A	18	40 MPa	G 1/2"	M26x1,5	35	27	140
7019118169	XGE-18LR3/4A	18	40 MPa	G 3/4"	M26x1,5	38	32	190
7018122169	XGE-22LR1/2	22	25 MPa	G 1/2"	M30x2	38	32	140
7010122169	XGE-22LR/A	22	25 MPa	G 3/4"	M30x2	40	32	190
7019122169	XGE-22LR1 A	22	25 MPa	G 1"	M30x2	43	41	330
7018128169	XGE-28LR1/2A	28	25 MPa	G 1/2"	M36x2	39	41	140
7019128169	XGE-28LR3/4A	28	25 MPa	G 3/4"	M36x2	41	41	190
7010128169	XGE-28LR/A	28	25 MPa	G 1"	M36x2	43	41	330
7017128169	XGE-28LR11/4A	28	25 MPa	G 1 1/4"	M36x2	48	50	540
7018135169	XGE-35LR1A	35	25 MPa	G 1"	M45x2	46	50	330
7010135169	XGE-35LR/A	35	25 MPa	G 1 1/4"	M45x2	48	50	540
7010142169	XGE-42LR/A	42	25 MPa	G 1 1/2"	M52x2	52	55	630

70101 Adapter utv. M-gänga 24° kona/utv. Rörgänga 60° kona, serie S




Art.nr.	Beteckning	Rör D1	Tryckklass	Gänga		Dimension mm		Åtdrag
Kropp	Kropp	mm	S	G1	G	L	S1	Nm
7010106269	XGE-6SR/A	6	80 MPa	G 1/4"	M14x1,5	32	19	60
7010108269	XGE-8SR/A	8	80 MPa	G 1/4"	M16x1,5	34	19	60
7019108269	XGE-8SR3/8/A	8	80 MPa	G 3/8"	M16x1,5	34,5	22	100
7010110269	XGE-10SR/A	10	80 MPa	G 3/8"	M18x1,5	34,5	22	100
7010112269	XGE-12SR/A	12	63 MPa	G 3/8"	M20x1,5	36,5	22	100
7019112269	XGE-12SR1/2/A	12	63 MPa	G 1/2"	M20x1,5	39	27	160
7018116269	XGE-16SR3/8/A	16	63 MPa	G 3/8"	M24x1,5	38,5	27	100
7010116269	XGE-16SR/A	16	63 MPa	G 1/2"	M24x1,5	41	27	160
7019116269	XGE-16SR3/4/A	16	63 MPa	G 3/4"	M24x1,5	45	32	280
7018120269	XGE-20SR1/2/A	20	42 MPa	G 1/2"	M30x2	45	32	160
7010120269	XGE-20SR/A	20	42 MPa	G 3/4"	M30x2	47	32	280
7019120269	XGE-20SR1/A	20	42 MPa	G 1"	M30x2	51	41	440
7019125269	XGE-25SR3/4/A	25	42 MPa	G 3/4"	M36x2	51	41	280
7010125269	XGE-25SR/A	25	42 MPa	G 1"	M36x2	53	41	440
7018130269	XGE-30SR1/A	30	42 MPa	G 1"	M42x2	55	46	440
7010130269	XGE-30SR/A	30	42 MPa	G 1 1/4"	M42x2	57	50	580
7019138269	XGE-38SR11/4/A	38	42 MPa	G 1 1/4"	M52x2	62	55	580
7010138269	XGE-38SR/A	38	42 MPa	G 1 1/2"	M52x2	64	55	700

030234 Adapter utvändig Rörgänga/invändig Rörgänga, lågbyggd




Art. Nr.	Gänga		Dimension mm		Arb. Tryck MPa	
	G	G1	CH	L		
0302340402	G 1/4"-19	G 1/8"-28	19	18	35	
0302340602	G 3/8"-19	G 1/8"-28	22	20	35	
0302340604	G 3/8"-19	G 1/4"-19	22	20	35	
0302340804	G 1/2"-14	G 1/4"-19	27	23	31,5	
0302340806	G 1/2"-14	G 3/8"-19	27	23	31,5	
0302341204	G 3/4"-14	G 1/4"-19	32	26	25	
0302341206	G 3/4"-14	G 3/8"-19	32	26	25	
0302341208	G 3/4"-14	G 1/2"-14	22	26	25	
0302341604	G 1"-11	G 1/4"-19	41	30	20	
0302341606	G 1"-11	G 3/8"-19	41	30	20	
0302341608	G 1"-11	G 1/2"-14	41	30	20	
0302341612	G 1"-11	G 3/4"-14	41	30	20	
0302342008	G1.1/4"-11	G 1/2"-14	50	33	16	
0302342012	G1.1/4"-11	G 3/4"-14	50	33	16	
0302342016	G1.1/4"-11	G 1"-11	50	33	16	
0302342412	G1.1/2"-11	G 3/4"-14	55	36	12,5	
0302342416	G1.1/2"-11	G 1"-11	55	36	12,5	
0302342420	G1.1/2"-11	G1.1/4"-11	55	35	12,5	
0302343216	G 2"-11	G 1"-11	70	36	8	
0302343220	G 2"-11	G1.1/4"-11	70	36	8	
0302343224	G 2"-11	G1.1/2"-11	70	35	8	

030235 Adapter utvändig Rörgänga/invändig Rörgänga, oliksidig




Art. Nr.	Gänga		Dimension mm		Arb. Tryck MPa	
	G	G1	CH	L		
0302350204	G 1/8"-28	G 1/4"-19	19	30	35	
0302350402	G 1/4"-19	G 1/8"-28	19	31	35	
0302350406	G 1/4"-19	G 3/8"-19	22	33	35	
0302350604	G 3/8"-19	G 1/4"-19	22	31	35	
0302350608	G 3/8"-19	G 1/2"-14	27	38	31,5	
0302350806	G 1/2"-14	G 3/8"-19	27	36	31,5	
0302350810	G 1/2"-14	G 5/8"-14	30	41,5	31,5	
0302350812	G 1/2"-14	G 3/4"-14	32	46	25	
0302351012	G 5/8"-14	G 3/4"-14	32	44	25	
0302351208	G 3/4"-14	G 1/2"-14	32	42	25	
0302351216	G 3/4"-14	G 1"-11	41	49	20	
0302351612	G 1"-11	G 3/4"-14	41	50	20	
0302351620	G 1"-11	G1.1/4"-11	50	52	16	
0302352016	G1.1/4"-11	G 1"-11	50	53	16	
0302352024	G1.1/4"-11	G1.1/2"-11	55	56	12,5	
0302352420	G1.1/2"-11	G1.1/4"-11	55	54	12,5	
0302352432	G1.1/2"-11	G 2"-11	70	62	8	
0302353224	G 2"-11	G1.1/2"-11	70	58	8	

030236 Adapter utvändig Rörgänga/invändig Rörgänga, liksidig




Art. Nr.	Gänga		Dimension mm		Arb. Tryck MPa	
	G	G1	CH	L		
0302360202	G 1/8"-28	G 1/8"-28	14	27	35	
0302360404	G 1/4"-19	G 1/4"-19	19	31	35	
0302360606	G 3/8"-19	G 3/8"-19	22	35	35	
0302360808	G 1/2"-14	G 1/2"-14	27	40	31,5	
0302361010	G 5/8"-14	G 5/8"-14	30	41	31,5	
0302361212	G 3/4"-14	G 3/4"-14	32	46	25	
0302361616	G 1"-11	G 1"-11	41	50	20	
0302362020	G1.1/4"-11	G1.1/4"-11	50	53	16	
0302362424	G1.1/2"-11	G1.1/2"-11	55	57	12,5	
0302363232	G 2"-11	G 2"-11	70	65	8	

030703 Adapter utvändig fast Rörgänga/ invändig rörlig Rörgänga




Art. Nr.	Gänga		Dimension mm			Arb. Tryck MPa
	G	G1	CH	CH1	L	
0307030204	G 1/8"-28	G 1/4"-19	14	19	28	35
0307030402	G 1/4"-19	G 1/8"-28	19	14	30	35
0307030404	G 1/4"-19	G 1/4"-19	19	19	30	35
0307030406	G 1/4"-19	G 3/8"-19	19	22	36	35
0307030408	G 1/4"-19	G 1/2"-14	19	27	36	31,5
0307030604	G 3/8"-19	G 1/4"-19	22	19	39	35
0307030606	G 3/8"-19	G 3/8"-19	22	22	41,5	35
0307030608	G 3/8"-19	G 1/2"-14	22	27	45	31,5
0307030612	G 3/8"-19	G 3/4"-14	22	32	43	25
0307030806	G 1/2"-14	G 3/8"-19	27	22	45,5	31,5
0307030808	G 1/2"-14	G 1/2"-14	27	27	48	31,5
0307030812	G 1/2"-14	G 3/4"-14	27	32	55	25
0307031208	G 3/4"-14	G 1/2"-14	32	27	51	25
0307031212	G 3/4"-14	G 3/4"-14	32	32	56	25
0307031216	G 3/4"-14	G 1"-11	41	32	59	20
0307031612	G 1"-11	G 3/4"-14	32	41	59	20
0307031616	G 1"-11	G 1"-11	41	41	61	20
0307031620	G 1"-11	G1.1/4"-11	50	41	56	16
0307032016	G1.1/4"-11	G 1"-11	50	38	56	16
0307032020	G1.1/4"-11	G1.1/4"-11	50	50	67	16
0307032420	G1.1/2"-11	G1.1/4"-11	55	50	69,5	12,5
0307032424	G1.1/2"-11	G1.1/2"-11	60	55	75	12,5

030702 Adapter invändig Rörgänga/Dito




Art. Nr.	Gänga		Dimension mm			Arb. Tryck MPa
	G	G1	CH	CH1	L	
0307020404	G 1/4"-19	G 1/4"-19	19	19	43,1	35
0307020406	G 1/4"-19	G 3/8"-19	19	22	41,5	35
0307020408	G 1/4"-19	G 1/2"-14	19	27	45,5	31,5
0307020606	G 3/8"-19	G 3/8"-19	22	22	49,4	35
0307020608	G 3/8"-19	G 1/2"-14	22	27	46	31,5
0307020808	G 1/2"-14	G 1/2"-14	27	27	54,7	31,5
0307021010	G 5/8"-14	G 5/8"-14	28	28	44	28
0307021212	G 3/4"-14	G 3/4"-14	32	32	67	25
0307021216	G 3/4"-14	G 1"-11	32	41	42	17,5
0307021616	G 1"-11	G 1"-11	41	41	71,5	20
0307022020	G1.1/4"-11	G1.1/4"-11	50	50	80,5	16
0307022424	G1.1/2"-11	G1.1/2"-11	55	55	92,6	12,5

030289 Rörmuff invändig Metrisk gänga




Art. Nr.	Gänga		Dimension mm		Arb. Tryck MPa
	G	G1	CH	L	
0302891010	M10x1	M10x1	14	25	35
0302891212	M12x1,5	M12x1,5	19	25	35
0302891414	M14x1,5	M14x1,5	19	25	35
0302891616	M16x1,5	M16x1,5	22	30	35
0302891818	M18x1,5	M18x1,5	22	30	31,5
0302892222	M22x1,5	M22x1,5	27	35	31,5

036889 Rörmuff invändig Rörgänga




Art. Nr.	Gänga		Dimension mm		Arb. Tryck MPa
	G	G1	CH	L	
0368890202	G 1/8"-28	G 1/8"-28	14	22	35
0368890204	G 1/8"-28	G 1/4"-19	19	25	35
0368890206	G 1/8"-28	G 3/8"-19	22	30	35
0368890404	G 1/4"-19	G 1/4"-19	19	25	35
0368890406	G 1/4"-19	G 3/8"-19	22	30	35
0368890408	G 1/4"-19	G 1/2"-14	27	35	31,5
0368890606	G 3/8"-19	G 3/8"-19	22	30	35
0368890608	G 3/8"-19	G 1/2"-14	27	35	31,5
0368890612	G 3/8"-19	G 3/4"-14	32	40	25
0368890808	G 1/2"-14	G 1/2"-14	27	35	31,5
0368890810	G 1/2"-14	G 5/8"-14	30	35	31,5
0368890812	G 1/2"-14	G 3/4"-14	32	40	25
0368890816	G 1/2"-14	G 1"-11	41	50	20
0368891010	G 5/8"-14	G 5/8"-14	30	35	31,5
0368891212	G 3/4"-14	G 3/4"-14	32	40	25
0368891216	G 3/4"-14	G 1"-11	41	50	20
0368891616	G 1"-11	G 1"-11	41	50	20
0368891620	G 1"-11	G1.1/4"-11	50	55	16
0368891624	G 1"-11	G1.1/2"-11	55	48	12,5
0368892020	G1.1/4"-11	G1.1/4"-11	50	55	16
0368892024	G1.1/4"-11	G1.1/2"-11	55	55	12,5
0368892424	G1.1/2"-11	G1.1/2"-11	55	55	12,5
0368892432	G1.1/2"-11	G 2"-11	70	60	8
0368893232	G 2"-11	G 2"-11	70	60	8

030401 Vinkeladapter 90° utvändig Rörgänga, ställbar




Art. Nr.	Gänga		Dimension mm					Arb. Tryck MPa
	F	F4	CH1	CH9	L	H	H3	
0304010202	G 1/8"-28	G 1/8"-28	12	14	22,5	26	8	35
0304010204	G 1/8"-28	G 1/4"-19	14	19	27	31,5	12	35
0304010404	G 1/4"-19	G 1/4"-19	14	19	27	31,5	12	35
0304010406	G 1/4"-19	G 3/8"-19	19	24	28,5	36,5	12	35
0304010604	G 3/8"-19	G 1/4"-19	19	19	31,5	33,5	12	35
0304010606	G 3/8"-19	G 3/8"-19	19	24	31,5	36,5	12	35
0304010608	G 3/8"-19	G 1/2"-14	22	27	34	43	14	31,5
0304010806	G 1/2"-14	G 3/8"-19	22	24	36,5	39,5	12	31,5
0304010808	G 1/2"-14	G 1/2"-14	22	27	36,5	43	14	31,5
0304010812	G 1/2"-14	G 3/4"-14	27	36	39,5	49	16	25
0304011208	G 3/4"-14	G 1/2"-14	27	27	42	45,5	14	25
0304011212	G 3/4"-14	G 3/4"-14	27	36	42	49	16	25
0304011216	G 3/4"-14	G 1"-11	33	41	44,5	52	18	20
0304011612	G 1"-11	G 3/4"-14	33	36	46	52	16	20
0304011616	G 1"-11	G 1"-11	33	41	46	52	18	20
0304012020	G1.1/4"-11	G1.1/4"-11	41	50	52	57	20	16
0304012424	G1.1/2"-11	G1.1/2"-11	48	60	59	61	22	12,5

030090 Vinkeladapter 90° utv. fast/inv. rörlig Rörgänga




Art. Nr.	Gänga		Dimension mm					Arb. Tryck MPa
	G	G1	CH	CH1	L	H		
0300900202	G 1/8"-28	G 1/8"-28	14	14	16	17		35
0300900404	G 1/4"-19	G 1/4"-19	19	19	24	22		35
0300900606	G 3/8"-19	G 3/8"-19	22	22	28	21		31,5
0300900808	G 1/2"-14	G 1/2"-14	27	27	32	26		25
0300901010	G 5/8"-14	G 5/8"-14	27	30	38	49		25
0300901212	G 3/4"-14	G 3/4"-14	32	32	35	34		20
0300901616	G 1"-11	G 1"-11	41	41	43	39		16
0300902020	G1.1/4"-11	G1.1/4"-11	50	50	50	46		12,5

030407 Vinkeladapter 90° utv. fast/inv. rörlig Rörgänga




Art. Nr.	Gänga		Dimension mm					Arb. Tryck MPa
	F utv	F inv	CH1	CH2	L	L11	M	
0304070202	G 1/8"-28	G 1/8"-28	12	14	22,5	24,5	20	35
0304070404	G 1/4"-19	G 1/4"-19	14	19	27	29	25	35
0304070606	G 3/8"-19	G 3/8"-19	19	22	31,5	34	29	35
0304070808	G 1/2"-14	G 1/2"-14	22	27	36,5	39,5	34	31,5
0304071212	G 3/4"-14	G 3/4"-14	27	32	42	46,5	38	25
0304071616	G 1"-11	G 1"-11	33	41	46	53	43	20
0304072020	G1.1/4"-11	G1.1/4"-11	41	50	52	65	55	16
0304072424	G1.1/2"-11	G1.1/2"-11	48	60	59	72,5	60	12,5

030840 Vinkeladapter invändig Rörgänga, fast




Art. Nr.	Gänga		Dimension mm					Arb. Tryck MPa
	G		CH1	L1				
0308400202	G 1/8"-28		14	17				35
0308400404	G 1/4"-19		19	22,5				35
0308400606	G 3/8"-19		22	26				35
0308400808	G 1/2"-14		27	31				31,5
0308401212	G 3/4"-14		33	34,5				25
0308401616	G 1"-11		41	41				20
0308402020	G1.1/4"-11		48	43				16
0308402424	G1.1/2"-11		65	53				12,5
0308403232	G 2"-11		71	61				8

030820 Vinkeladapter 90° utvändig Rörgänga




Art. Nr.	Gänga		Dimension mm			Arb. Tryck MPa
	F		CH1	L		
0308200404	G 1/4"-19	G 1/4"-19	14	27		35
0308200606	G 3/8"-19	G 3/8"-19	19	31,5		35
0308200808	G 1/2"-14	G 1/2"-14	22	36,5		31,5
0308201212	G 3/4"-14	G 3/4"-14	27	42		25
0308201616	G 1"-11	G 1"-11	33	46		20

030822 Vinkeladapter 90° utvändig Rörgänga/utvändig KR-gänga




Art. Nr.	Gänga		Dimension mm			Arb. Tryck MPa
	BSP F	KR F3	CH1	L	H8	
0308220202	G 1/8"-28	G 1/8"-28	12	22,5	19,5	35
0308220404	G 1/4"-19	G 1/4"-19	14	27	27,5	35
0308220606	G 3/8"-19	G 3/8"-19	19	31,5	31	35
0308220608	G 3/8"-19	G 1/2"-14	22	34	34	31,5
0308220806	G 1/2"-14	G 3/8"-19	22	36,5	33	31,5
0308220808	G 1/2"-14	G 1/2"-14	22	36,5	37,5	31,5
0308221212	G 3/4"-14	G 3/4"-14	27	42	40,5	25
0308221616	G 1"-11	G 1"-11	33	46	50	20

030488 Rörböj 90° utv. fast/inv. rörlig Rörgänga




Art. Nr.	Gänga		Dimension mm					Arb. Tryck MPa
	G	G1	CH	CH1	L	H		
0304880404	G 1/4"-19	G 1/4"-19	19	19	38	34		35
0304880606	G 3/8"-19	G 3/8"-19	22	22	38	38		31,5
0304880808	G 1/2"-14	G 1/2"-14	27	27	45	45		25
0304881212	G 3/4"-14	G 3/4"-14	32	32	60	60		20
0304881616	G 1"-11	G 1"-11	41	38	70	70		16
0304882020	G1.1/4"-11	G1.1/4"-11	50	50	80	80		12,5
0304882424	G1.1/2"-11	G1.1/2"-11	55	55	100	100		8
0304883232	G 2"-11	G 2"-11	65	70	100	100		8

030487 Rörböj 90° invändig rörlig Rörgänga/Do



Art. Nr.	Gänga		Dimension mm					Arb. Tryck MPa
	G	G1	CH	CH1	L	H		
0304870404	G 1/4"-19	G 1/4"-19	19	19	38	38		35
0304870606	G 3/8"-19	G 3/8"-19	22	22	40	40		31,5
0304870808	G 1/2"-14	G 1/2"-14	27	27	45	45		25
0304871212	G 3/4"-14	G 3/4"-14	32	32	60	60		20
0304871616	G 1"-11	G 1"-11	38	38	68	68		16
0304872020	G1.1/4"-11	G1.1/4"-11	50	50	100	100		12,5
0304872424	G1.1/2"-11	G1.1/2"-11	55	55	105	105		8


030402 Vinkeladapter 45° utvändig Rörgänga, ställbar



Art. Nr.	Gänga		Dimension mm						Arb. Tryck MPa
	G	G1	Ch1	Ch9	L6	H2	H3	P2	
0304020202	G 1/8"-28	G 1/8"-28	12	14	18,5	26,5	8	1,2	35
0304020204	G 1/8"-28	G 1/4"-19	14	19	21	29	12	1,8	35
0304020404	G 1/4"-19	G 1/4"-19	14	19	21	29	12	1,8	35
0304020604	G 3/8"-19	G 1/4"-19	19	19	25	30	12	1,8	35
0304020606	G 3/8"-19	G 3/8"-19	19	24	25	33	12	1,8	35
0304020808	G 1/2"-14	G 1/2"-14	22	27	28	38,5	14	1,8	31,5
0304021212	G 3/4"-14	G 3/4"-14	27	36	32,5	44	16	1,8	25
0304021616	G 1"-11	G 1"-11	33	41	37	47	18	2,5	20
0304022020	G1.1/4"-11	G1.1/4"-11	41	50	40,5	48,5	20	2,5	16


Andra dimensioner på förfrågan.

030045 Vinkeladapter 45° utv. fast/inv. rörlig Rörgänga




Art. Nr.	Gänga		Dimension mm					Arb. Tryck MPa
	G	G1	CH	CH1	L	H		
0300450404	G 1/4"-19	G 1/4"-19	19	19	21	23		35
0300450606	G 3/8"-19	G 3/8"-19	22	22	24	25		31,5
0300450808	G 1/2"-14	G 1/2"-14	27	27	28	30		25
0300451212	G 3/4"-14	G 3/4"-14	32	32	34	35		20
0300451616	G 1"-11	G 1"-11	38	41	39	43		16
0300452020	G1.1/4"-11	G1.1/4"-11	50	50	32	44		12,5

030408 Vinkeladapter 45° utv. fast/inv. rörlig Rörgänga




Art. Nr.	Gänga		Dimension mm					Arb. Tryck MPa
	G	G1	Ch1	Ch2	L6	L12	M1	
0304080404	G 1/4"-19	G 1/4"-19	14	19	21	29	25	35
0304080606	G 3/8"-19	G 3/8"-19	19	22	25	33	28	35
0304080808	G 1/2"-14	G 1/2"-14	22	27	28	35,5	30	31,5
0304081212	G 3/4"-14	G 3/4"-14	27	32	32,5	45	36,5	25
0304081616	G 1"-11	G 1"-11	33	41	37	51	41	20
0304082020	G1.1/4"-11	G1.1/4"-11	41	50	37	44	34	16

030489 Rörböj 45° utv. fast/inv. rörlig Rörgänga




Art. Nr.	Gänga		Dimension mm					Arb. Tryck MPa
	G	G1	CH	CH1	L	H		
0304890404	G 1/4"-19	G 1/4"-19	19	19	15	41		35
0304890606	G 3/8"-19	G 3/8"-19	22	22	16	49		31,5
0304890808	G 1/2"-14	G 1/2"-14	27	27	19	58		25
0304891212	G 3/4"-14	G 3/4"-14	32	32	25	70		20
0304891616	G 1"-11	G 1"-11	41	41	30	84		16

030403 T-adapter utvändig Rörgänga, ställbar



Art. Nr.	Gänga		Dimension mm					Arb. Tryck MPa
	F	F4	CH1	CH9	L	H	H3	
0304030202	G 1/8"-28	G 1/8"-28	12	14	22,5	26	8	35
0304030404	G 1/4"-19	G 1/4"-19	14	19	27	31,5	12	35
0304030406	G 1/4"-19	G 3/8"-19	19	24	28,5	36,5	12	35
0304030604	G 3/8"-19	G 1/4"-19	19	19	31,5	33,5	12	35
0304030606	G 3/8"-19	G 3/8"-19	19	24	31,5	36,5	12	35
0304030608	G 3/8"-19	G 1/2"-14	22	27	34	43	14	31,5
0304030806	G 1/2"-14	G 3/8"-19	22	24	36,5	39,5	12	31,5
0304030808	G 1/2"-14	G 1/2"-14	22	27	36,5	43	14	31,5
0304031212	G 3/4"-14	G 3/4"-14	27	36	42	49	16	25
0304031612	G 1"-11	G 3/4"-14	33	36	46	52	16	20
0304031616	G 1"-11	G 1"-11	33	41	46	52	18	20
0304032020	G1.1/4"-11	G1.1/4"-11	41	50	52	57	20	16
0304032424	G1.1/2"-11	G1.1/2"-11	48	60	59	61	22	12,5


030853 T-adapter utv. fast/ inv. rörlig Rörgänga



Art. Nr.	Gänga		Dimension mm					Arb. Tryck MPa
	F utv	F inv	CH1	CH2	L	L11	M	
0308530404	G 1/4"-19	G 1/4"-19	14	19	27	29	25	35
0308530606	G 3/8"-19	G 3/8"-19	19	22	31,5	34	29	35
0308530808	G 1/2"-14	G 1/2"-14	22	27	36,5	39,5	34	31,5
0308531212	G 3/4"-14	G 3/4"-14	27	32	42	46,5	38	25
0308531616	G 1"-11	G 1"-11	33	41	46	53	43	20


Andra dimensioner på förfrågan.

030852 T-adapter invändig rörlig Rörgänga




Art. Nr.	Gänga		Dimension mm				Arb. Tryck MPa
	G	G1	CH	CH1	L	H	
0308520404	G 1/4"-19	G 1/4"-19	14	19	57	36	35
0308520606	G 3/8"-19	G 3/8"-19	19	22	67	43	35
0308520808	G 1/2"-14	G 1/2"-14	22	27	79	51	31,5
0308521212	G 3/4"-14	G 3/4"-14	27	32	92	60	25
0308521616	G 1"-11	G 1"-11	33	38	105	71	20
0308522020	G1.1/4"-11	G1.1/4"-11	41	50	123	84	16
0308522424	G1.1/2"-11	G1.1/2"-11	50	55	144	96	12,5

030860 T-adapter invändig fast Rörgänga




Art. Nr.	Gänga		Dimension mm				Arb. Tryck MPa
	G		CH1	L1			
0308600202	G 1/8"-28		14	17			35
0308600404	G 1/4"-19		19	22,5			35
0308600606	G 3/8"-19		22	26			35
0308600808	G 1/2"-14		27	31			31,5
0308601212	G 3/4"-14		33	34,5			25
0308601616	G 1"-11		41	41			20
0308602020	G1.1/4"-11		48	43			16
0308602424	G1.1/2"-11		65	53			12,5
0308603232	G 2"-11		71	61			8

030850 T-adapter utvändig Rörgänga/utvändig KR-gänga




Art. Nr.	Gänga		Dimension mm				Arb. Tryck MPa
	BSP F	KR F3	CH1	L	H8		
0308500202	G 1/8"-28	G 1/8"-28	12	22,5	19,5		35
0308500404	G 1/4"-19	G 1/4"-19	14	27	27,5		35
0308500606	G 3/8"-19	G 3/8"-19	19	31,5	31		35
0308500808	G 1/2"-14	G 1/2"-14	22	36,5	37,5		31,5
0308501212	G 3/4"-14	G 3/4"-14	27	42	40,5		25
0308501616	G 1"-11	G 1"-11	33	16	50		20

030851 T-adapter utvändig Rörgänga




Art. Nr.	Gänga		Dimension mm				Arb. Tryck MPa
	F		CH1	L			
0308510202	G 1/8"-28		12	22,5			35
0308510404	G 1/4"-19		14	27			35
0308510606	G 3/8"-19		19	31,5			35
0308510808	G 1/2"-14		22	36,5			31,5
0308511212	G 3/4"-14		27	42			25
0308511616	G 1"-11		33	46			20
0308512020	G1.1/4"-11		41	52			16
0308512424	G1.1/2"-11		48	59			12,5

030150 Huv invändig Rörgänga




Art. Nr.	Gänga G	Dimension mm		Arb. Tryck MPa
		CH	L	
0301500200	G 1/8"-28	14	15	35
0301500400	G 1/4"-19	19	17	35
0301500600	G 3/8"-19	22	19	35
0301500800	G 1/2"-14	27	21	31,5
0301501200	G 3/4"-14	32	23	25
0301501600	G 1"-11	41	28	20
0301502000	G1.1/4"-11	50	28	16
0301502400	G1.1/2"-11	55	30	12,5

030151 Plugg utvändig Rörgänga




Art. Nr.	Gänga F	Dimension mm		Arb. Tryck MPa
		Ch3	L10	
0301510200	G 1/8"-28	14	13	35
0301510400	G 1/4"-19	19	18	35
0301510600	G 3/8"-19	22	20	35
0301510800	G 1/2"-14	27	22	31,5
0301511000	G 5/8"-14	30	24	31,5
0301511200	G 3/4"-14	32	24	25
0301511600	G 1"-11	41	27	20
0301512000	G1.1/4"-11	50	29	16
0301512400	G1.1/2"-11	55	35	12,5
0301513200	G 2"-11	70	39	8

030152 Plugg utvändig NPTF-gänga



Art. Nr.	Gänga	Dimension mm		Arb. Tryck MPa
	G	CH	L	
0301520200	1/8"-27	11	14,7	35
0301520400	1/4"-18	14	19,2	35
0301520600	3/8"-18	19	20,2	25
0301520800	1/2"-14	25	22	22,5
0301521200	3/4"-14	27	27	20
0301521600	1"-11,5	36	31,9	16

030153 Insexplugg för tredö, DIN 908




Art. Nr.	Gänga d	Dimension mm			
		dk	k+/-0,5	i +/-0,2	s
0301530200	G 1/8"A	14	3	8	5
0301530400	G 1/4"A	18	3	12	6
0301530600	G 3/8"A	22	3	12	8
0301530800	G 1/2"A	26	4	14	10
0301531200	G 3/4"A	32	4	16	12
0301531600	G 1"A	39	5	16	17
0301532000	G1.1/4"A	49	5	16	22
0301532400	G1.1/2"A	55	5	16	24
0301533200	G 2"A	68	5	20	32

Metriska versioner på förfrågan


Syrafasta pluggar på förfrågan

030155 Blindmutter invändig Rörgänga 60° kona




Art. Nr.	Gänga G	Dimension mm		Arb. Tryck MPa
		CH	L	
0301550200	G 1/8"-28	14	10	35
0301550400	G 1/4"-19	19	13,5	35
0301550600	G 3/8"-19	22	15	35
0301550800	G 1/2"-14	27	16	31,5
0301551200	G 3/4"-14	32	18	25
0301551600	G 1"-11	41	19,5	20
0301552000	G1.1/4"-11	50	24	16
0301552400	G1.1/2"-11	55	26,5	12,5
0301553200	G 2"-11	70	24	8

70126 Insexplugg DIN 906



Art. Nr.	Gänga d	Dimension mm		
		lt	S	
7012602010	R 1/8"	8	5	
7012604010	R 1/4"	10	7	
7012606010	R 3/8"	10	8	
7012608010	R 1/2"	10	10	
7012612010	R 3/4"	12	12	
7012616010	R 1"	12	17	
7012620010	1.1/4"	18	22	
7012624010	R1.1/2"	20	24	
7012632010	R 2"	22	32	

70125 Insexplugg med mjuktätning i nitril




Art. Nr.	Gänga d	Dimension mm				Arb. Tryck MPa	MA*
		dk	k +/-0,3	i +/-0,2	S		
7012502010	G 1/8"	14	4	8	5	40	12
7012504010	G 1/4"	19	5	12	6	40	30
7012506010	G 3/8"	22	5	12	8	40	55
7012508010	G 1/2"	27	5	14	10	40	80
7012512010	G 3/4"	32	5	16	12	40	135
7012516010	G 1"	40	6,5	16	17	40	225
7012520010	G1.1/4"	50	6,5	16	22	25	360
7012524010	G1.1/2"	55	6,5	16	24	25	400
7012510020	M10x1	14	4	8	5	40	12
7012512020	M12x1,5	17	5	12	6	40	25
7012514020	M14x1,5	19	5	12	6	40	35
7012516020	M16x1,5	21,9	5	12	8	40	50
7012518020	M18x1,5	23,9	5	12	8	40	60
7012520020	M20x1,5	25,9	5	14	10	40	70
7012522020	M22x1,5	27	5	14	10	40	80
7012526020	M26x1,5	31,9	5	16	12	40	120
7012527020	M27x2	32	5	16	12	40	135
7012533020	M33x2	39,9	6,5	16	17	40	225
7012542020	M42x2	49,9	6,5	16	22	25	360
7012548020	M48x2	55	6,5	16	24	25	400

Lagerföres i syrafast utförande med tätning i viton®


* Rekommenderat åtdragningsmoment

030149 Svetsnippel med utvändig Rörgänga



Art. Nr.	Gänga G	Dimension mm		Arb. Tryck MPa
		øD	ød1	
0301490200	G 1/8"-28	10	4	30
0301490400	G 1/4"-19	14	6	30
0301490600	G 3/8"-19	17	8	30
0301490800	G 1/2"-14	21	12	30
0301491200	G 3/4"-14	28	15	28
0301491600	G 1"-11	32	21	28
0301492000	G1.1/4"-11	42	28	28
0301492400	G1.1/2"-11	48	32	

030249 Svetsmuff med invändig Rörgänga




Art. Nr.	Gänga G	Dimension mm		Arb. Tryck MPa
		øD	L	
0302490200	G 1/8"-28	18	17	30
0302490400	G 1/4"-19	22	16	30
0302490600	G 3/8"-19	25	20	30
0302490800	G 1/2"-14	30	23	30
0302491200	G 3/4"-14	38	25	28
0302491600	G 1"-11	45	38	28
0302492000	G1.1/4"-11	55	40	28
0302492400	G1.1/2"-11	60	43	
0302493200	G 2"-11	70	47	

Andra längder på förfrågan

Radiefrästa modeller på förfrågan


030827 Vinkelsvetsnippel 90° invändig Rörgänga



Art. Nr.	Gänga F	Dimension mm				Arb. Tryck MPa
		Ch1	øD	L13	H6	
0308270400	G 1/4"-19	14	15	27	20	35
0308270600	G 3/8"-19	19	20	29	20	33
0308270800	G 1/2"-14	22	23	36	29	30
0308271200	G 3/4"-14	27	28	42	32	25
0308271600	G 1"-11	33	34	47	40	20


Metrisk varianter se katalog för skärringskopplingar.

030829 Vinkelsvetsnippel 90° utvändig Rörgänga



Art. Nr.	Gänga G	Dimension mm		Arb. Tryck MPa
		øD	ød1	
0308290400	G 1/4"-19	15	20	34
0308290600	G 3/8"-19	19,9	24,8	28
0308290800	G 1/2"-14	25	30	23
0308291200	G 3/4"-14	28	32	


030830 Banjoadapter utvändig Rörgänga



Art. Nr.	Hål för gänga B	Gänga G	Dimension mm			Arb. Tryck MPa
			L	SF	D	
0308300404	1/4"	G 1/4"-19	14	24	15	25
0308300604	3/8"	G 1/4"-19	25	28	18	25
0308300606	3/8"	G 3/8"-19	28	28	18	25
0308300808	1/2"	G 1/2"-14	32	35	22	16
0308301212	3/4"	G 3/4"-14	40	45	29	16
0308301616	1"	G 1"-11	44	60	37	20


Andra dimensioner och metrisk gänga på förfrågan

030831 Banjoadapter med fläns, utvändig Rörgänga




Art. Nr.	Hål för gänga B	Gänga G	Dimension mm			Arb. Tryck MPa
			L	SF	D	
0308310404	1/4"	G 1/4"-19	31	24	14	25
0308310606	3/8"	G 3/8"-19	40	28	18	25
0308310808	1/2"	G 1/2"-14	55	35	22	16

004451 Banjobult Rörgänga



Art.nr.		Gänga	Dimensioner			
		T	B	A	C	H1
4451-04-00		1/4"-19	6,0	34,5	28,5	17,0
4451-06-00		3/8"-19	9,0	45,5	38,5	22,0
4451-08-00		1/2"-14	13,0	52,0	44,0	27,0
4451-10-00		5/8"-14	15,0	56,5	48,5	30,0
4451-12-00		3/4"-14	18,0	64,0	54,0	32,0
4451-16-00		1"-11	24,0	77,5	68,5	41,0

030833 Lödbanjo



Art. Nr.	Hål för gänga	Dimension mm			
	B	d	L	SF	D
0308330408	1/4"	8	24	24	14
0308330410	1/4"	10	24	24	14
0308330412	1/4"	12	24	24	14
0308330608	3/8"	8	28	28	18
0308330610	3/8"	10	28	35	18
0308330612	3/8"	12	28	24	18
0308330815	1/2"	15	32	35	22
0308331008	10 mm	8	20	22	10
0308331408	14 mm	8	24	24	14
0308331410	14 mm	10	24	24	14
0308331610	16 mm	10	28	28	18
0308331810	18 mm	10	29	32	20

Andra dimensioner på förfrågan